Food Waste wybone Wheelie Bin Cover **†** ISLINGTON

Call: 01226 744010 Web: www.wybone.co.uk Email: sales@wybone.co.uk



The Wybone Food Waste Wheelie Bin Cover has been specifically designed for hygenic collection of food waste and is ideal for communal use. The unit enables segregation of food waste, helping to cut down on waste sent to landfill and reduce your carbon footprint.

Technical Information

- Sloped lid to deter standing rain water or debris.
- Self locking slam lock door.
- Premium quality galvanised steel, powder coated in RAL 9005 Black as standard.
- Lift up flap with soft close gas strut, ideal for reducing noise in communal areas and to help contain any unwanted food odours.
- Standard Food Waste artwork or customer special bespoke artwork including logos or branding available.

Construction

Hot dipped coated galvanised material to BSEN10346 grade DX51D+Z275 offering outstanding corrosion resistance and rust protection.

Hot dipped galvanised thick laser cut base plate with 4 for ground fixing.

Single hinged door using concealed full length large diameter stainless steel rod pivot hinge with frictionless bushes to the top and bottom, with additional fixing in the centre of the rod to ensure the door remains fixed in place.

Surface Finish

Electrostatically primed and powder coated and oven cured.


Standard Features


Self locking door using stainless steel grade 304 slam lock, fixed with high tensile anti-tamper torx bolts.

10 Year Anti Perforation Warranty.

1 Year Parts & Labour Guarantee.


Sizes to suit wheelie bin capacities of 140 and 240 litres.





Top view





How to Order your Food Waste Wheelie Bin Cover



Body Size Options

The units can come in 2 sizes to fit either a smaller 140 Litre Capacity wheelie bin, or a larger 240 Litre Capacity wheelie bin (wheelie bins not included).

140 Litres

240 Litres



Body and Lid Colour Options

This product comes in black as standard, or you can choose any of the colours below (lid and body can be different colours):




3

Body Artwork Options

(For additional options please see seperate options sheet or contact us)












Lid Artwork Options

(For additional options please see seperate options sheet or contact us)










Food Waste Customisation Dimensions



How to Order your Food Waste Wheelie Bin Cover



Optional Extra



Vinyl Banding Gold | Band/GLD | £12.00 per band Silver | Band/SIL | £12.00 per band

Vinyl banding around the circumference of the bin.



Steel Beading Gold | Bead/GLD | £24.00 per band Silver | Bead/SIL | £24.00 per band

Riveted steel beading is available to go around the circumference of the bin.



Advertising Pocket A4 PF/PA4 | £16.99 each A3 PF/PA3 | £21.99 each

Advertising panels cut out of the bin with a polycarbonate pocket to protect artwork.




Advertising Frame A4 PF/CA4 | £24.99 each A3 PF/CA3 | £29.99 each

Advertising frames can be fitted to the sides of your bin for interchangeable artwork. We recommend using laminated artwork.




Fixing Options



RAWL Bolts BTGRL25 | £17.99


Set of 4 bolts for ground fixing with a pre-drilled base. The ground is drilled in the same arrangement as the fixing holes in the base of the bin. Bolts are placed in position and tightened to secure in the ground.



Internal Concrete Base SLAB/F | POA

A cement horseshoe around the inside of the bin. This provides a concealed way to weigh the unit down and prevent it from being moved easily.

How to fit your Food Waste Wheelie Bin Cover



Position the bin with the door facing in the correct direction on flat ground without obstruction.


Use chalk to mark through the fixing holes onto the ground below.



Remove the bin and mark the ground with a cross where the four hole positions are.


Drill 16mm holes in the 4 marked positions to a depth of 100mm or long enough to accommodate the bolt length.

Remove any debris from the holes.



Remove bolt from Anchor.

Fit Anchors into the holes and use a hammer to drive the anchors in.



Use a spanner or socket to tighten the bolts and their washers.
Tightening the bolts will fan out the bolt sheath in the hole holding the bolt secure.

Replace the liner and shut the door.

For further information on fitting please visit our website or look for official RAWL documentation

wybone

Call: 01226 744010 Email: sales@wybone.co.uk Buy online: www.wybone.co.uk







