

wybone

Contour Bin Range





Our Contour Bin Range brings modern bin design to modern locations. With the option of a fully steel unit or steel with Iroko wood panels, this popular range is both adaptive and stylish.

Technical Information

- Comes in full galvanised steel or galvanised steel with Iroko wood panels
- Choose from a single, double or triple unit for both variations depending on waste stream preferences
- Manufactured using hot-dipped galvanised steel for rust and corrosion resistance
- Iroko wood panels provide a sophisticated appeal with enhanced durability due to its resistance to rot and decay
- Choose from an array of steel body and door colours for the all-galvanised steel unit, including 3 optional wooden finishes for the Iroko wood panels
- Comes with your choice of aperture and custom artwork

1YR PARTS & LABOUR
GUARANTEE

All of our products come with a 1 year parts and labour guarantee as standard.

Construction

Frame & door manufactured from hot-dipped coated galvanised material to BSEN10346 grade DX51D+Z275 offering outstanding corrosion resistance and rust protection.


Hardwood Iroko wood panels to the front and back

Lockable front-opening door

Standard Features

Budget Lock


Flat Lid




How to Order your Contour Bin

1


Size Options



Contour Single Litter Bin
112 Litres
1 x Waste Stream
1 x L1 (Liner)



Contour Double Litter Bin
224 Litres
2 x Waste Streams
2 x L1 (Liner)



Contour Triple Litter Bin
336 Litres
3 x Waste Streams
3 x L1 (Liner)

The sizes outlined above also apply to the Contour Litter Bin with Iroko Wood Slats.

2

Body & Door Finish Colour

Choose from an array of powder coated body and door colours.



Please note these colours only apply to the all-galvanised steel Contour Litter Bin.

3

Slat Finish & Colour

The Iroko wood slats can come in light, clear or dark stain.



Light Stain
IROKO/LS



Clear Stain
IROKO/CS



Dark Stain
IROKO/DS

For bespoke requirements send an email to sales@wybone.co.uk

How to Order your Contour Bin

3


Aperture Options

Powder coated steel aperture plates can be fixed to the apertures to create mixed recycling stations.




Standard Aperture
AP/ST

Standard rectangular aperture used for collection of general waste.



Mixed Recycling Aperture
AP/LU

London Underground aperture used for collection of mixed recycling.



Circular Aperture
AP/C

Circular aperture used for collection of cans and plastic bottles.



Slot Aperture
AP/SL

Slot aperture used for the collection of paper and card.

4

Artwork Options

(for additional options please see options sheet or contact us)

General waste

Lettering | £5.00
General waste lettering can be applied vertically to the front and back of the unit where possible.



general waste

A4 Vinyl Artwork | £15.00
Any standard waste stream perspex plate can be affixed to the front of the unit.



Contact us directly for a quotation.

Call: 01226 744010
Email: hello@wybone.co.uk

5

Additional Options



Easyfit Ashtray | £59.00

A round ashtray can be fitted to the top of the unit in either gold or silver.



Rawl Bolts | £17.99



RAWL bolts can be supplied to permanently fix the unit to the ground.




Ground Anchor | £104.99

The ground anchor is driven into the ground where it is then secured via extendable fixings.

Use this page to plan your customisation options.




How to fit your Contour Litter Bin



1 Position the bin with the door facing in the correct direction on flat ground without obstruction.


Use chalk to mark through the fixing holes onto the ground below.



2 Remove the bin and mark the ground with a cross where the four hole positions are.


Drill 16mm holes in the 4 marked positions to a depth of 100mm or long enough to accommodate the bolt length.

Remove any debris from the holes.



3 Remove bolt from Anchor.

Fit Anchors into the holes and use a hammer to drive the anchors in.



4 Use a spanner or socket to tighten the bolts and their washers. Tightening the bolts will fan out the bolt sheath in the hole holding the bolt secure. Replace the liner and shut the door.

For further information on fitting please visit our website or look for official RAWL documentation




The Contour Litter Bin with Iroko Wood Slats offers enhanced style, perfect for modern locations.



The all-galvanised steel Contour Litter Bin provides excellent durability with rust and corrosion-resistance features.



Double or triple up with our Contour Bins for increased waste capacity and waste segregation.



Choose from an array of powder coated body and door colour finishes, including 3 different wood finishes for our Iroko wood variation.



Whether you choose the all-galvanised steel or Iroko wood unit, our Contour Bin Range are perfect for modern parks, cities and town centres.